


i Series App Gateway

Manage, monitor, and control your energizer using your phone.

The i Series App Gateway enables communication between your i Series Energizer and the Gallagher Ag Devices Mobile App.



i Series App Gateway Communication

The App Gateway communicates with your mobile device using Bluetooth® when you are nearby.

You can connect to your WiFi network to manage, monitor and control your i Series Energizer from anywhere, anytime.

Add up to six Fence Monitors* to your fence line, to monitor location specific voltage, receive performance alerts and know the area where a fault is located.

*sold separately G51000




If you do not have WiFi connectivity at your energizer location, install a hotspot to provide connectivity

Installing your i Series App Gateway

Install the App Gateway in a location that provides a clear line of sight for Bluetooth® communications to your phone. **Gallagher recommends installation on the outside of the shed.**


- ① Power off the energizer
- ② Screw the base plate to the outside of the shed
- ③ Drill a 12mm hole through the base plate ring and thread the cable
- ④ Slide the App Gateway down onto the base plate
- ⑤ Plug the App Gateway cable into the back of the energizer
- ⑥ Power on the energizer




Connecting your App to your Energizer



Download the
Gallagher Ag
Devices Mobile
App



Sign up
or login




Select App
Gateway



Tap the
energizer to
register your
connection



Tap the down
arrow to view
the earth and
zone voltages



If available,
connect to WiFi
using the More
menu



am.gallagher.com